TOP-3-2-045 Environmental and Ballistics Testing of Fire Arms

Innovation. Integrity. Dependability.



Dayton T. Brown, Inc. has provided the DoD, federal, state, local law enforcement and private industry communities with 70 years of unparalleled professional expertise in engineering and testing. Our engineering team has worked with these communities to help them answer some of their toughest questions. DTB is excited to bring that same tradition of innovation, integrity, dependability, knowledge and experience in Environmental and Ballistics Testing of Fire Arms.

Typical Environmental and Reliability Testing

- Function Test
- Suppressor
- Trigger
- Transportation Vibration
- Rain/moisture
- Pressure Test
- Ballistics Performance

- Reliability and Durability
- · Visual Signature Muzzle Flash
- Visual Signature Smoke Signature
- Abrasion Resistance
- Salt Fog
- · Sand and Dust
- Cold & Hot Function

www.dtb.com



ISO 9001:2015 and AS9100D Registered NVLAQ Testing * Lab Code 200422-0

1195 Church Street, Bohemia, NY 11716-5014 USA Please direct all inquiries to: 1-800-232-6300 • email test@dtb.com Visit our web site at: www.dtb.com

* Please visit www.dtb.com for testing covered under our scopes of accreditation.



A World of Engineering and Testing Under One Roof[™]

Environmental and Reliability Testing of 7.62MM Caliber Compact Semi Auto Sniper System (CSASS)

Dayton T. Brown, Inc. will conduct Environmental and Reliability Testing subject to References (b), (c) and (d) specifications for the CSASS

3.5.2 - Dispersion Function Test - If failure occurs with the function test repeat function test followed by firing 100 rounds 3.6.1 - Suppressor Dispersion 3.6.2 - Suppressor Impact Shift Distance 3.6.3 - Suppressor Impact Shift Repeatability 3.6.4 - Suppressor Dimensions 3.6.5.1 - Suppressor Interface, Hand Torque 3.6.5.2 - Suppressor Interface, Easy Attachment Method 3.7.21 - Trigger 3.9.1 - HTSC Features 3.9.2 - HTSC Drop Test - Hard Transport and Storage Case 3.9.3 - Transportation Vibration per MIL-STD-810E, Procedure I 3.9.4 - Rain/moisture of HTSC 3.9.5 - Pressure Test of HTSC 3.9.6 - Dimensions of HTSC Initial Engineering, Setup and Safety Considerations 3.5.21 - Workmanship 4.7.1 – High Pressure Resistance 3.7.2 - Ballistics Performance - Done in conjunction with **Dispersion test** 3.7.10 - Safety Mechanism 3.7.11 - Bolt Position Safety 3.7.13 - Magazine Release 3.7.14 - Weight 3.7.16 - Length 3.7.17 - Barrel Length 3.7.18 - Stock Adjustment 3.7.20 - Firing Pin 3.7.22 - Ammunition Compatibility 3.7.23 - Chamber Dimensions 3.7.24 - Headspace Dimensions 3.7.25 - Magazine 3.7.26 - Mounting Interface 3.7.27 - Bipod 3.8 - Day optical sight requirements 3.10 - Soft Carry Case 3.11 - Deployment kit 3.12 - Drag bag 3.13 - Magazine carriers 3.14 - Cleaning equipment 3.15 - Sling

3.16 - Anti-cant devise 3.17 - Pistol grip 3.18 - Mini red dot mount 4.5.16 - Reliability and Durability - 10,000 Rounds per Weapon with Cooling after every Magazine 4.5.16 - Reliability and Durability - 10,000 Rounds per Weapon with Cooling after every Third Magazine (Optional) 4.5.3.1 - Visual Signature Muzzle Flash 4.5.3.2 - Visual Signature Smoke Signature 4.5.5 - Abrasion Resistance 4.5.6 - Salt Fog 4.5.7 - Sand and Dust 4.5.8 - Water Spray (Rain) Test 4.5.9 - Icing 4.5.10.1 - Wet Mud 4.5.10.2 - Dried Mud 4.5.11.1 - Cold Function 4.5.11.2 - Hot Function 4.5.12 - Chemical Resistance 4.5.13 - NBC Contamination 4.5.14 - Fungus 4.5.18.1 - NBC MOPP IV 4.5.18.2 - Extreme Cold 4.5.19 - Maintainability 4.5.22 - Cookoff Test 4.7.3 - Drop Test 4.7.4 - Barrel Life 4.7.5 - Parts Interchange 4.7.6 - Blank Firing Adapter 4.7.7 - BFA Life 4.7.8 - BFA Safety 4.7.9 - Rifle Action 4.7.12 - Recoil 4.7.13 - Magazine Release 4.7.14 - Weight 4.7.15 - Special Tools 4.7.16 - Length 4.7.17 - Barrel Length 4.7.18 - Stock Adjustment 4.7.19 - Materials and Finishes 4.7.21 - Trigger 4.7.28 - Iron sights Back-up Iron Sights 4.7.32 - Multiple Position Gas Block

A World of Engineering and Testing Under One RoofTM

* Please visit www.dtb.com for testing covered under our scopes of accreditation.

DAYTON T. BROWN, INC. ENGINEERING & TEST DIVISION



PHONE: (631) 589-6300 FAX: (631) 589-3648